



03-ASD-209 (SR)

**IN THE UNITED STATES PATENT & TRADEMARK OFFICE**

**SERIAL NO.** : 10/786,818  
**FILED** : February 24, 2004  
**FOR** : IN SITU FLUID CONDITION MONITORING  
**APPLICANT** : DAVID R. SOSNOWSKI & GORDON M. FINCANNON  
**ART UNIT** :  
**EXAMINER** : Not Yet Assigned

**TRANSMITTAL OF FORMAL DRAWINGS**


Mail Stop PGPUB Drawings  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In accordance with 37 CFR 1.84 and 1.85, please amend the subject application by substituting therein the enclosed drawings consisting of 4 sheets for the informal drawings originally filed with the application.

You are hereby authorized to charge the comparison fee to our **Deposit Account No. 05-0275** (two copies of this sheet are provided).

Respectfully submitted,

  
R. A. Johnston  
Registration No. 25,880  
Attorney for Applicants


Eaton Corporation  
Eaton Center  
1111 Superior Avenue  
Cleveland, Ohio 44114  
(216) 523-4132

---

**CERTIFICATE OF MAILING UNDER 37 CFR 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

April 20, 2004

  
Lorelei K. Dingethal